



UPHOLSTERY

TUSKBOND - UK PRODUCED AND UK FILLED SYSTEM

WWW.TUSKBOND.UK



Tuskbond Upholstery Products
Shelley Close
Lowmoor Business Park
Kirkby in Ashfield
Nottinghamshire
NG17 7JZ

Tuskbond offer a complete range of high performance upholstery canister adhesives and accessories for professional use, available in a range of sizes and colours. All our Tuskbond upholstery adhesives are pressurised and delivered through a gun and hose system. This means Tuskbond is fast, accurate and portable, ready for use in a range of upholstery applications.

WWW.TUSKBOND.UK















TUSKBOND IIIHS350

Premium Upholstery Adhesive

Tuskbond HS350 premium upholstery adhesive is an extremely tacky, high solids, spray adhesive. HS350 is completely free from all chlorinated solvents and is designed to provide fast, accurate and ergonomic application. HS350 is developed for bonding a wide variety of substrates.



Features:

- Extremely Tacky
- Non Chlorinated System
- High Solids Formulation
- Fast Drying

Substrates:

 Thin Fabric, Thick Fabric, Hessian, Felt, Foam, Wood, Plastic, EPS

TUSKBOND IIIHH550

High Heat Multi Purpose Sprayable Adhesive

Features:

- High Temperature Contact Adhesive
- Fast, Strong,
 Permanent Bond
- Long Open Time
- Excellent Heat Resistance

Substrates:

 Automotive, Leather, Foam, Wood, Metal, Plastic

Certificates:

SAFT Heat Tested 105°C



Multipurpose Upholstery Adhesive

Features:

- High Tack
- Quick, Clean and Convenient
- Non Chlorinated System

Substrates:

 Thick Fabric, Hessian, Felt, Leather, Foam, Wood, Metal, Plastic



TUSKBOND MONE



MED0486TE

Multipurpose Sprayable Contact Adhesive

Features:

- Building Regulations: Class 0
- High Strength Bond Achieved in Minutes
- Good Heat Resistance
- Fast Drying with Long Open Time

Substrates:

 Thin Fabric, Hessian, Felt, Foam, Wood, Metal, Plastic

Certificates:

- Tested to BS476 Part 6- Pass/ Part 7- Class 1
- Building Regulations: Class 0
- Wheelmark Accredited
- SAFT Heat Tested 100°C

TUSKBOND MXPRO

The Next Generation of Contact Adhesive

Features:

- Innovative Solvent Technologu
- Excellent Heat Resistance
- Low Toxicity
- Aggressive, Fast and Strong Bond

Substrates:

 Thin Fabric, Hessian, Felt, Foam, Wood, Metal, Plastic

Certificates:

SAFT Heat Tested 100°C



TUSKBOND III G500



1121/16 164.112/1121/WCL MED0485TE

000

Premium High Solids Contact Adhesive

Features:

- High Solids
- Uniform Spray
- High Temperature Resistance
- Long Open Time
- Fast Drying
- Bonds a Wide Variety of Substrates

Substrates:

 Thin Fabric, Thick Fabric, Hessian, Felt, Foam, Wood, Metal, Plastic

Certificates:

- Wheelmark Accredited
- SAFT Heat Tested 105°C

TUSKBOND IIINC501



Premium Non Chlorinated
Contact Adhesive

Features:

- Non Chlorinated System
- High Solids
- Long Open Time
- Bonds a Wide Variety of Substrates
- Fast Drying

Substrates:

 Thin Fabric, Hessian, Leather, Foam, Wood, Metal, Plastic

Certificates:

- Wheelmark Accredited
- SAFT Heat Tested 100°C





PREMIUM SPRAY GUN

ECONOMY SPRAY GUN

SPRAY GUN WITH **EXTENSION WAND**



- Strong Aluminium Alloy Body
- **Includes 9501 Spray Tip**
- Accommodates all Interchangeable Unijet **Spray Tips**



- Durable Light Weight Construction
- **Includes 9501 Spray Tip**
- Accommodates all Interchangeable Unijet Spray Tips



- Accurate and **Ergonomic Application**
- 47cm Wand Extension
- Includes 9501 Spray Tip

HOSE 12FT, 18FT & 24FT

TRIGGER GUN





- Flexible Hose Minimising Interference and Tangling
- · Lightweight Durable Nylon Core with Synthetic Rubber Coating
- · Fits Easily and Securely to Any Tuskbond Canister and Application Gun



- Designed to fit on to the top of all Aerosols
- Effortless and Efficient Spray
- Creates a Neat and Accurate Spray Pattern



4001 Tip



6501 Tip



9501 Tip

A range of tips available based on the spray application required.

- **Unijet Spray Nozzle**
- **Brass Construction**
- 1.0 Flow Capacity

Tuskbond Upholstery Product Selecton

II HH550 II HS350 II HT150 II ONE II XPRO II G500 II NC501



SAFT °C	Canister	Aerosol	Sizes	Key Characteristics	Gun System	Hose System
105°C	√	√	17kg, 85kg	High heat multipurpose spray adhesive with heat resistance up to 105°C. Has a long open time and provides a fast, strong and permanent waterproof bond.	Premium Spray Gun Economy Spray Gun	Rubber Hose 12ft / 18ft / 24ft
	√	√	13kg, 62.5kg	Premium upholstery adhesive that is extremely tacky with a high solids formulation. The adhesive is free from all chlorinated solvents.	Premium Spray Gun Economy Spray Gun	Rubber Hose 12ft / 18ft / 24ft
	√	1	13.4kg	Multipurpose upholstery adhesive free from all chlorinated solvents with a high tack formulation.	Premium Spray Gun Economy Spray Gun	Rubber Hose 12ft / 18ft / 24ft
100°C	√	√	17kg, 85kg	Multipurpose contact adhesive ideal for permanent bonds that require good initial bond strength. Tested to BS476 Part 6- Pass/ Part 7- Class 1. Building regulation: Class 0	Premium Spray Gun Economy Spray Gun	Rubber Hose 12ft / 18ft / 24ft
100°C	√	✓	13kg	Innovative solvent technology meaning it maintains a low hazard to human health due to its low toxicity and minimal negative impact to the environment. Possessing all the qualities of Tuskbond ONE.	Premium Spray Gun Economy Spray Gun	Rubber Hose 12ft / 18ft / 24ft
105°C	√	√	17kg	Premium high solids contact adhesive, reducing the risk of under application. Provides superior bond strength with excellent grab and heat resistance. Wheelmark approved.	Premium Spray Gun Economy Spray Gun	Rubber Hose 12ft / 18ft / 24ft
100°C	√	√	13.6kg	Premium non chlorinated contact adhesive with extremely high solids, greatly reducing the risk of under application. Provides superior bond strength with excellent grab and heat resistance. Wheelmark approved.	Premium Spray Gun Economy Spray Gun	Rubber Hose 12ft / 18ft / 24ft





Tuskbond Upholstery Products
Shelley Close
Lowmoor Business Park
Kirkby in Ashfield
Nottinghamshire
NG17 7JZ

WWW.TUSKBOND.UK