



CONSTRUCTION

TUSBOND - UK PRODUCED AND UK FILLED SYSTEM


WWW.TUSBOND.UK



Tuskbond Construction Products
Shelley Close
Lowmoor Business Park
Kirkby in Ashfield
Nottinghamshire
NG17 7JZ

Tuskbond offer a complete range of high performance construction canister adhesives and accessories for professional use, available in a range of sizes and colours. All our Tuskbond construction adhesives are pressurised, delivered through a gun and hose system which means Tuskbond is fast, accurate and portable, ready for use in a wide range of applications.

WWW.TUSBOND.UK



TUSKBOND /// ONE

Multipurpose Sprayable Contact Adhesive

Also available in
500ml aerosol



Tuskbond ONE is a low odour, fast drying contact adhesive made in the UK for over 15 years. Suitable for bonding a wide variety of products, Tuskbond ONE provides good temperature resistance, a long open time with a class 0 fire rating. ONE is ideal for permanent bonds that require good initial bond strength.

Features:

- Building Regulations: Class 0
- High Strength Bond Achieved in Minutes
- Excellent Grab
- Good Heat Resistance
- Fast Drying and Long Open Time
- Versatile

Substrates:

- Foil Faced Insulation, Metals, Mineral Wool Based Insulation, Plywood, MDF, Fabrics, Foams (Exc EPS)

Certificates:

- Tested to BS476 Part 6 – Pass/Part 7 – Class 1
- Building Regulations: Class 0
- Wheelmark Accredited
- SAFT Heat Tested 100°C



1121/16
164.112/1121/WCL
MED0486TE

TUSKBOND /// XPR0

The Next Generation of Contact Adhesive

Also available in
500ml aerosol



Tuskbond XPR0 uses the latest solvent technology for minimal toxicity, meaning low hazard to human health. Possessing the best qualities of Tuskbond ONE, XPR0 provides incredible grab, high bond strength and excellent heat resistance. It is easy to apply and combines a long open time with a very fast drying time.

Features:

- Innovative Solvent Technology
- Excellent Bond Strength Achieved in Minutes
- Exceptional Grab
- Long Open Time
- Fast Drying

Substrates:

- Foil Faced Insulation, Metals, Mineral wool Based Insulation, Plywood, MDF, Fabrics, Foams (EXC EPS)

Certificates:

- SAFT Heat Tested 100°C

TUSKBOND

III NC501

**Premium Non
Chlorinated
Contact Adhesive**



Also available in
500ml aerosol

Tuskbond NC501 is a premium non-chlorinated contact adhesive with extremely high solids content, greatly reducing the risk of low coat weight. NC501 provides a superior bond, excellent grab and a long open time. NC501 is versatile and will bond a wide variety of substrates.

Features:

- Non Chlorinated System
- Exceptional Grab
- High Solids
- Excellent Bond Strength
- Long Open Time
- Versatile

Substrates:

- Foil Faced Insulation, Metals, Mineral Wool Based insulation, Plywood, MDF, Fabrics Foams (Exc. EPS)

Certificates:

- Wheelmark Accredited
- SAFT Heat Tested 100°C



1121/16
164.112/1121/WCL
MED0487TE

TUSKBOND

III NC101

**Non Chlorinated
Multi Purpose
Contact Adhesive**



Also available in
500ml aerosol

Tuskbond NC101 is a non-chlorinated contact adhesive developed to bond a wide variety of substrates. It has excellent grab and a long open time, providing a strong and permanent waterproof bond. Tuskbond NC101 boasts all the best qualities of Tuskbond ONE with the advantage of being completely free from all chlorinated solvents.

Features:

- Non Chlorinated System
- Excellent Bond Strength
- High Heat Resistance
- Long Open Time
- Versatile

Substrates:

- Foil Faced Insulation, Metals, Mineral Wool Based insulation, Plywood, MDF, Fabrics Foams (Exc. EPS)

Certificates:

- SAFT Heat Tested 95°C

TUSKBOND

/// G500

Premium High Solids
Contact Adhesive

Also available in
500ml aerosol



Tuskbond G500 is a premium sprayable contact adhesive with extremely high solids content, greatly reducing the risk of low coat weight. G500 dries to leave a tack free film, preventing unwanted adhesive transfer. The adhesive provides superior bond strength with excellent grab and heat resistance.

Features:

- Extremely High Solids
- Excellent Grab
- Superior Bond Strength
- Uniform Spray
- High Temperature Resistance
- Long Open Time and Fast Drying
- Bonds a Wide Variety of Substrates

Substrates:

- Foil Faced Insulation, Metals, Mineral Wool Based Insulation, Plywood, MDF, Fabrics Foams (EXC EPS)

Certificates:

- Wheelmark Accredited
- SAFT Heat Tested 105°C



1121/16
164.112/1121/WCL
MED0485TE

TUSKBOND

/// HH550

High Heat Multi Purpose
Sprayable Adhesive

Also available in
500ml aerosol



Tuskbond HH550 is a high heat sprayable contact adhesive with heat resistance over 105°C. Developed to bond a wide variety of substrates, HH550 has a long open time and provides a fast and strong permanent bond with excellent heat resistance. HH550 is ideal for van conversions and vehicle restoration.

Features:

- High Temperature Contact Adhesive
- Excellent Heat Resistance
- Long Open Time
- Excellent Bond Strength

Substrates:

- Foams, Fabrics, Low Density Fibrous Insulation, Metal, Hard Plastics, Plywood

Certificates:

- SAFT Heat Tested 105°C

TUSKBOND

FD170

Fast Drying Polystyrene Adhesive

Also available in
500ml aerosol



Tuskbond FD170 polystyrene adhesive is a high solids, extremely tacky spray adhesive free from all chlorinated solvents. The fast drying adhesive is developed for bonding polystyrene to itself and various substrates.

Features:

- Designed for Bonding Polystyrene
- Non- Chlorinated
- Extremely Tacky
- High Solids Formulation
- Fast Drying
- Long Open Time

Substrates:

- Polystyrene (EPS), Foam, Metal, Insulation Materials, Phenolic Foam, Polyurethane Foam, Mineral Wool Insulation

Certificates:

- SAFT Heat Tested 70°C

TUSKBOND

HGL100

Mist/Pebble Spray Adhesive

See our full
Woodwork
& Joinery range

Also available in
500ml aerosol



Tuskbond HGL100 is the choice when bonding high gloss decorative laminates, specifically designed to give a pebble spray pattern. This is critical when bonding high gloss laminates to a variety of substrates including plywood, chipboard and MDF. Tuskbond HGL100 provides instant grab and excellent high heat resistance, whilst achieving excellent bond strength.

Features:

- Mist Spray - Eliminating Telegraphing
- Strong Initial Grab
- Excellent Bond Strength
- High Heat Resistance
- Pebble Spray Pattern
- Formulated for Use with High Gloss Laminate
- Instant, High Strength Bond

Substrates:

- High Gloss Laminates, Laminates, Veneers

Certificates:

- SAFT Heat Tested 100°C

TUSKBOND /// PREMIUM SPRAY GUN



- Strong Aluminium Alloy Body
- Includes 9501 Spray Tip
- Accommodates all Interchangeable Unijet Spray Tips

TUSKBOND /// ECONOMY SPRAY GUN



- Durable Light Weight Construction
- Includes 9501 Spray Tip
- Accommodates all Interchangeable Unijet Spray Tips

TUSKBOND /// HOSE 12FT, 18FT & 24FT



- Flexible Hose Minimising Interference and Tangling
- Lightweight Durable Nylon Core with Synthetic Rubber Coating
- Fits Easily and Securely to Any Tuskbond Canister and Application Gun

TUSKBOND /// 3" ROLLER



- Durable Rubber Roller
- Recessed End Design
- Aluminium Construction

TUSKBOND /// TRIGGER GUN



- Designed to Fit on to the Top of All Aerosols
- Effortless and Efficient Spray
- Creates a Neat and Accurate Spray Pattern

TUSKBOND /// TIPS



4001 Tip



6501 Tip



9501 Tip

A range of tips available based on the spray application required.

- Unijet Spray Nozzle
- Brass Construction
- Flow Rate ~0.5 l/min

|| ONE

|| XPR0

|| NC501

|| NC101

|| G500

|| HH550

|| FD170

|| HGL100




Substrates

Fibrous Glass Wool Insulation	Mineral Fibre	Metals	Laminates	Foil faced insulation boards	Polystyrene	EPS	Polyurethane Foam	Phenolic foam Insulation	High Heat applications
✓	✓	✓	✓	✓				✓	
✓	✓	✓	✓	✓				✓	
✓	✓	✓	✓	✓				✓	
✓	✓	✓	✓	✓				✓	
✓	✓	✓	✓	✓				✓	
✓	✓	✓	✓	✓				✓	✓
✓	✓				✓	✓	✓	✓	
		✓	✓	✓					

SAFT °C
Canister
Aerosol

Sizes **Key Characteristics** **Gun System** **Hose System**

100°C	✓	✓	17kg	Multipurpose contact adhesive ideal for permanent bonds that require good initial bond strength. Tested to BS476 Part 6- Pass/ Part 7- Class 1. Building regulation: Class 0 Wheelmark Approved.	Premium Spray Gun  Economy Spray Gun 	Rubber Hose 12ft / 18ft / 24ft 
100°C	✓	✓	13kg	Innovative solvent technology meaning it maintains a low hazard to human health due to its low toxicity and minimal negative impact to the environment. Possessing all the qualities of Tuskbond ONE.	Premium Spray Gun  Economy Spray Gun 	Rubber Hose 12ft / 18ft / 24ft 
100°C	✓	✓	13.6kg	Premium non chlorinated contact adhesive with extremely high solids, greatly reducing the risk of under application. Provides superior bond strength with excellent grab and heat resistance. Wheelmark approved.	Premium Spray Gun  Economy Spray Gun 	Rubber Hose 12ft / 18ft / 24ft 
95°C	✓	✓	13kg	Boasts all the best qualities of Tuskbond ONE with the advantage of being free from all chlorinated solvents.	Premium Spray Gun  Economy Spray Gun 	Rubber Hose 12ft / 18ft / 24ft 
105°C	✓	✓	17kg	Premium high solids contact adhesive, reducing the risk of under application. Provides superior bond strength with excellent grab and heat resistance. Tested to BS476 Part 6- Pass/ Part 7- Class 1. Wheelmark approved.	Premium Spray Gun  Economy Spray Gun 	Rubber Hose 12ft / 18ft / 24ft 
105°C	✓	✓	17kg	High heat multipurpose spray adhesive with heat resistance up to 105°C. Has a long open time and provides a fast, strong and permanent water resistant bond.	Premium Spray Gun  Economy Spray Gun 	Rubber Hose 12ft / 18ft / 24ft 
70°C	✓	✓	13kg	Polystyrene adhesive with extremely high solids. High tack formulation free from all chlorinated solvents.	Premium Spray Gun  Economy Spray Gun 	Rubber Hose 12ft / 18ft / 24ft 
100°C	✓	✓	14.3kg	The choice when bonding high gloss decorative laminates, specifically designed to give a pebble spray pattern. Provides instant grab and excellent high heat resistance, whilst achieving excellent bond strength.	Premium Spray Gun  Economy Spray Gun 	Rubber Hose 12ft / 18ft / 24ft 



TUSKBOND /// CANISTER CLEANING KIT

The Canister Cleaning Kit is specially designed to simplify the process of cleaning out products from canister hoses and guns after use to prevent blockage occurring in the hose. The assembly is easy to apply and use.

TUSKBOND /// GC22



Gun Cleaner

Tuskbond GC22 is a blend of organic solvents designed to quickly remove uncured adhesive from canister hoses and guns.

- Fast Removal of Uncured Adhesive
- For Use on Both Guns and Hoses
- Prolongs Life on Both Guns and Hoses

TUSKBOND /// SC12



Solvent Cleaner

Tuskbond SC12 is a blend of organic solvents designed to quickly remove adhesive overspray, oil and grease deposits from most surfaces.

- Removes Oil, Grease and Grime
- Removes Adhesive Overspray
- Suitable for Use with a Wide Range of Substrates

Visit our Website!
WWW.TUSBOND.UK

**THE
PROFESSIONAL
CHOICE**

COMPLETE RANGE OF HIGH PERFORMANCE CANISTER ADHESIVES
AND ACCESSORIES FOR PROFESSIONAL USE





Tuskbond Construction Products
Shelley Close
Lowmoor Business Park
Kirkby in Ashfield
Nottinghamshire
NG17 7JZ

WWW.TUSKBOND.UK