

TUSKBOND

Roofing
Range





#TUSKBOND

Professional spray adhesives for **Roofing.**




Tuskbond has worked closely within the Roofing market to develop a range of cutting-edge adhesives, perfectly attuned to the needs of the customer. Based on years of development, we offer adhesives for a wide range of materials and types of roofing processes. The unique quality of our products is that we develop and manufacture our own adhesives for the full roofing range, allowing us complete control over the performance and quality. Our products have been used successfully in this market for years.

The **Tuskbond** range is built on the principle of quality and consistency. All of our products offer genuine high-quality solutions, to real industry problems. The nature of **Tuskbond** leads to improved efficiency within the markets that the products are used.

How it Works

When the spray adhesive canister was first conceived, its very essence was to make a once laborious and time-consuming task simple. This essence remains true - simply connect the gun and hose to the canister, release the valve and spray!



Canister Valve

This valve is used to control the flow of adhesive out of the canister. Once opened, the pressurised system propels outwards. It is vital that the gun and hose are securely connected before opening the pressure release valve.

Hose Connection Point

The point where the canister and hose meet to create a safe and secure connection.

Canister Contents

A mixture of carefully formulated ingredients to create an adhesive designed to meet specification, coupled with pressurised propellant gas.

Setup: Tips & Advice

Tuskbond canister spray equipment is hard wearing and designed to last. With regular maintenance and cleaning, the gun and hose can be used over and over again. Taking a few easy steps can help prevent blockages and keep your canisters working.

Tuskbond Spray Guns have a brass spray tip that helps give the product the perfect spray pattern. Be sure to regularly clear the tip of adhesive, particularly after use. This will prevent build-up of adhesive, which can restrict the spray and result in blockages or poor spray patterns.

Once you have finished using your canister, do not turn it off at the main tap (this can cause the adhesive to solidify and block the hose). Instead, lock off the gun using the trigger restrictor. If the canister is going to be left for longer than a few days without use, consider buying a Canister Cleaning Kit. The kit is designed to flush the gun and hose assembly with cleaning solvent, allowing both to be removed without risking blockages.

For more information on this, visit our YouTube channel.

Accessories



Professional Spray Gun

- Strong aluminium alloy body
- Durable
- Accommodates all interchangeable Unijet spray tips
- Includes 9501 spray tip



Gun with Extension

- Strong aluminium alloy body
- Durable
- Accommodates all interchangeable Unijet spray tips
- Includes 9501 spray tip



Foaming PU Applicator

- Designed to apply accurate beads of adhesive
- Long extension removes need to bend down when spraying
- Quick and easy application
- Strong and durable construction



Economy Spray Gun

- Durable lightweight construction
- Accommodates all interchangeable Unijet spray tips
- Includes 9501 spray tip



Braided Hose

- Required for use with sprayable PU
- Stainless steel braided hose
- Moisture resistant, PTFE lined
- Added durability and quality



Hose

- Highly flexible hose
- Lightweight, durable nylon core with synthetic rubber coating
- Fits easily and securely to any **Tuskbond** canister and application gun
- Durable for repeated use



Roofing Membrane Contact Adhesive

- VOC compliant
- Fast drying
- Instant, strong bond
- Designed for bonding flat roof membranes to roof decks
- Save time and increase productivity
- Self-contained

Tuskbond Roofing Membrane Contact Adhesive is a VOC compliant, sprayable adhesive, designed for bonding Flat Roof Membranes to Roof Decks. The adhesive can be applied faster than with standard bucket-based products using a gun and hose system for fast and efficient application with no need for a compressor or other external pressure systems. The process allows solvents to evaporate quickly, ensuring that the membrane can be laid with minimal delay. The adhesive is designed to bond most EPDM and TPO roofing membranes to roof decks in both horizontal and vertical applications. The product is quick to apply and fast drying, so roofing membranes can be laid quickly.

Technical Info



Developed for:



EPDM Membrane



TPO Membrane



Plywood



OSB Board

Coverage:



Up to 1184ft²



Up to 43ft²




Roofing Membrane Bonding Adhesive (5l)

- VOC compliant
- Easy to spread
- Instant, strong bond
- Fast drying
- Designed for bonding flat roofs
- Membranes to roof decks

Tuskbond Roofing Membrane Bonding Adhesive is a VOC compliant, solvent based contact adhesive designed specifically for the bonding of EPDM and TPO membranes to roof decks. The product is fast drying and easy to spread meaning roof membranes can be laid quickly.

Technical Info



Developed for:



EPDM Membrane



TPO Membrane



Plywood



OSB Board

Coverage:



Up to 592ft²



Foaming Polyurethane Adhesive

- Single part polyurethane adhesive
- Designed for bonding a wide range of roof insulation materials
- Fast, easy and precise application
- Low cure time
- Drastically reduces time for insulation
- Helps with uneven surfaces

Tuskbond Foaming Insulation Adhesive is a one part, self-contained, sprayable, foaming polyurethane adhesive specifically designed for bonding a wide range on insulation materials to a variety of different substrates such as OSB, Plywood, and concrete. **Tuskbond Foaming Insulation Adhesive** is designed to deliver a bead of polyurethane foam quickly and precisely, drastically reducing the time taken to install insulation. This typically halves the cure time taken from traditional poured single component polyurethane products.

Technical Info



Developed for:



Insulation
Boards



Plywood



OSB
Board

Coverage:



3800ft²



Canister Adhesive Cleaner

- Cleans and maintains clogged equipment
- Extends lifespan of gun and hose
- Easy and effective way to clean adhesive and overspray

Tuskbond Canister Adhesive Cleaner is a unique blend of solvents formulated to easily clean canister gun and hose assemblies, flushing any excess adhesive from within. Regular cleaning of spray equipment will extend the lifespan and prevent blockages that can delay work if left to build up. The simple to use product makes working and cleaning effortless and can also be used as a surface cleaner to remove any unwanted adhesive or overspray.



Cleaning Kit and Adaptor


- Cleans equipment without needing another canister
- Extends lifespan of gun and hose
- Easy and effective way to clean adhesive and overspray
- Prevents blockages

The **Canister Cleaning Kit** is specially designed to simplify the process of cleaning out products from canister guns and hoses after use, to prevent blockage in the hose. The assembly is easy and efficient to use.


Tuskbond GC22 is designed to be used with the **Tuskbond Canister Cleaning Assembly** to give a simple, fast and convenient method of cleaning out canister guns and hoses, preventing blockages whilst also prolonging the lifespan of the system.

Technical Data

Peel Strength



Shear Strength



TUSKBOND

www.tuskbond.uk

Tuskbond Adhesive Products
c/o Sanglier Limited

Shelley Close
Lowmoor Business Park
Kirkby in Ashfield
NG17 7JZ
United Kingdom

01623722661

info@tuskbond.co.uk